

Please read and save these instructions. Read through this owner's manual carefully before using product. Protect yourself and others by observing all safety information, warnings, and cautions. Failure to comply with instructions could result in personal injury and/or damage to product or property. Please retain instructions for future reference.



36" 8 DRAWER TOOL CART
28" 7 DRAWER TOOL CART

FOR CUSTOMER SERVICE

Technical Question?

CALL 1-866-458-2472
customerservice@oem-tools.com

UNPACKING

After unpacking the unit, inspect carefully for any damage that may have occurred during transit. Check for loose, missing, or damaged parts. If any damage is observed, a shipping damage claim must be filed with the carrier. DO NOT use the OEMTOOLS® Tool Cart if broken, bent, cracked or damaged parts (including labels) are noted. Any Tool Cart that appears damaged in any way, operates abnormally, or is missing parts should be removed from service immediately. If you suspect that the Tool Cart was subjected to shock load (a load that was dropped suddenly, unexpectedly, etc.), immediately discontinue use until it has been checked by a factory authorized service center.



24565
36"



24566
28"

⚠ WARNING

The following safety information is provided as a guideline to help you operate your Tool Cart under the safest possible conditions. Any tool or piece of equipment can be potentially dangerous to use when safety or safe handling instructions are not known or not followed. The following safety instructions are to provide the user with the information necessary for safe use and operation. Please read and retain these instructions for the continued safe use of your Tool Cart. Failure to follow instructions listed below may result in serious injury. In addition, make sure that anyone who uses the equipment understands and follows these safety instructions as well.

Explanation of Safety Signal Words

⚠ WARNING: Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury.

⚠ CAUTION: Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury.

CAUTION: Used without the safety alert symbol indicates a potentially hazardous situation which, if not avoided, may result in property damage.

NOTES: Provide clarity and helpful information.

Thank you very much for choosing an OEMTOOLS® Product!

For future reference, please register your new tool at www.oem-tools.com and complete the owner's record below:

Model: _____ **Purchase Date:** _____

Save the receipt, warranty and these instructions. It is important that you read the entire manual to become familiar with this product before you begin using it. This product is designed for certain applications only. OEMTOOLS® cannot be responsible for issues arising from modification. We strongly recommend that this product is not modified and/or used for any application other than that for which it was designed. If you have any questions relative to a particular application, DO NOT use the product until you have first contacted customer service to determine if it can or should be performed on the product.



36" 8 DRAWER TOOL CART 28" 7 DRAWER TOOL CART

! IMPORTANT INSTRUCTIONS AND SAFETY RULES

1. Know your tools and equipment. Read this manual carefully. Learn the product's applications and limitations, as well as potential hazards specific to it.
2. Maintain labels and nameplates on this product. These carry important information. If unreadable or missing, contact OEMTOOLS® for a replacement.
3. The use of this equipment is simple and straightforward if you follow the instructions. When operating this equipment, use common sense, and only use this product for its intended purpose.
4. The procedures documented in this manual are to serve as guidelines for the use of this equipment.
5. The warnings, precautions, and instructions discussed in this manual cannot cover all possible conditions and situations that may occur. The operator must understand that common sense and caution are factors which cannot be built into this product, but must be supplied by the operator.
6. We believe the information contained herein to be reliable. However, general technical information is given by us without charge and the user shall employ such information at their own discretion and risk. We assume no responsibility for results or damages incurred from the use of such information in whole or in part. Always refer to specific instructions and technical information supplied by vehicle manufacturer.
7. The manufacturer declines any and all responsibility for damage to vehicles or components if said damage is the result of unskillful handling by the operator or of failure to observe the basic safety rules set forth in the instruction manual.
8. Check for damage. Check the equipment regularly. If part of the product is damaged, it should be carefully inspected to make sure that it can perform its intended function correctly. If in doubt, the part should be repaired. Refer all servicing to a qualified technician. Consult your dealer for advice.
9. Properly maintained tools and equipment are less likely to bind and are easier to control. DO NOT use a damaged product. Tag damaged items "DO NOT USE" until repaired.
10. Check for misalignment or binding of moving parts, breakage of parts, and any other condition that may affect the product's operation.
11. If damaged, have the equipment serviced before using. Many accidents are caused by poorly maintained items.
12. Tool service must be performed only by qualified repair personnel. Service or maintenance performed by unqualified personnel could result in a risk of injury. Use only identical replacement parts. Use of unauthorized parts or failure to follow maintenance instructions may create a risk of injury.
13. Use only accessories that are recommended by the manufacturer for your model. Accessories that may be suitable for one tool may become hazardous when used on another tool.
14. Maintain a safe working environment. Keep the work area well lit. Make sure there is adequate surrounding workspace. Keep the work area free of obstructions, grease, oil, trash, and other debris. DO NOT use this product in a damp or wet location.
15. DO NOT operate this product if under the influence of alcohol or drugs. Read warning labels on prescriptions to determine if your judgment or reflexes are impaired while taking drugs. If there is any doubt, DO NOT attempt to operate.
16. Use safety equipment. Eye protection should be worn at all times when operating this tool. Use ANSI approved safety glasses. Everyday eyeglasses are NOT safety glasses. Dust mask, non-skid safety shoes, hard hat or hearing protection should be used in appropriate conditions.
17. Wear proper apparel. Loose clothing, gloves, neck-ties, rings, bracelets or other jewelry may present a potential hazard when operating this tool. Keep all apparel clear of the tool.
18. DO NOT overreach. Keep proper footing and balance at all times when operating tools and equipment.
19. Maintain tools and equipment with care. Keep them dry and clean.
20. Keep children away. All children should be kept away from the work area. Never let a child handle a tool without strict adult supervision.
21. Store idle tools out of the reach of children and untrained persons. Tools may be dangerous in the hands of untrained users.
22. Keep the equipment dry, clean, and free from brake fluid, oil, and grease.
23. Always perform vehicle service in a properly ventilated area. Never run an engine without proper ventilation for its exhaust. Stop work and take necessary steps to improve ventilation in the work area if you develop momentary eye, nose, or throat irritation as this indicates inadequate ventilation.
24. Engine parts that are in motion and unexpected movement of a vehicle can injure or kill. When working near moving engine parts, wear snug fit clothing and keep hands and fingers away from moving parts.
25. Keep hoses and tools clear of moving parts. Always stay clear of moving engine parts. Hoses and tools can be thrown through the air if not kept clear of moving engine parts.
26. The unexpected movement of a vehicle can injure or kill. When working on vehicles, always set the parking brake or chock the wheels.
27. Keep away from flammables. DO NOT attempt to operate this tool near flammable materials or combustibles. Failure to comply may cause serious injury or death.
28. Avoid accidental fire and/or explosion. DO NOT smoke near engine fuel and battery components.

PRODUCT DESCRIPTION

The OEMTOOLS® Tool Cart is designed to provide mobile tool storage.

PRODUCT	WIDTH	DEPTH	HEIGHT	WEIGHT
24565 36" Cart	35.8"	18.9"	39.3"	225 Lbs.
24566 28" Cart	28.3"	18.9"	40.5"	144 Lbs.

24565 36" TOOL CART DRAWER DIMENSIONS AND CAPACITY								
Drawer Size	Width (In.)	Depth (In.)	Height (In.)	Volume (Cu. In.)	# Of Drawers	Total Volume (Cu. In.)	Slide Capacity	Total Weight Capacity
Shallow	29.6	15.7	3	1,394	7	9,759	100	700
Deep	29.6	15.7	6.1	2,835	1	2,835	100	100
Total					8	12,594		800

24566 28" TOOL CART DRAWER DIMENSIONS AND CAPACITY								
Drawer Size	Width (In.)	Depth (In.)	Height (In.)	Volume (Cu. In.)	# Of Drawers	Total Volume (Cu. In.)	Slide Capacity	Total Weight Capacity
Shallow	22.4	15.6	3	1,048	5	5,242	100	500
Deep	22.4	15.6	6.1	2,132	2	4,263	100	200
Total					7	9,505		700





36" 8 DRAWER TOOL CART 28" 7 DRAWER TOOL CART

SPECIFIC SAFETY INSTRUCTIONS

WARNING: DO NOT exceed drawer capacity rating (see chart in Drawer Dimensions, Volume and Capacity section).

WARNING: ALWAYS place heavier tools in the bottom drawers. Overloading the top drawers may cause imbalance.

WARNING: ALWAYS be cautious when maneuvering tool box through the shop. Large obstructions, cracks in the floor, low ceilings, etc. may cause the tool box to tip, which could lead to property damage and/or personal injury


WARNING: ALWAYS be cautious of pinch points between the drawers, and top and bottom unit. Never place fingers or extremities in the drawers while the cart is moving. Keep extremities clear of the edges of the drawers, openings, and drawer slides when opening or closing drawers.

WARNING: ALWAYS lock the casters after moving the units.

WARNING: ALWAYS be cautious when opening drawers and the top lid after periods of storage and/or moving the unit. Tools may shift the drawers and cause unsafe conditions, such as falling tools, pinch points, and jammed drawers.

TOOL CART ASSEMBLY

1. Position the handle into the designated openings.
2. Secure the handle into place using the provided hardware.




3. Lock all drawers, and lay the cart on one side.

WARNING: Ask for assistance when tipping the Tool Cart. This unit is heavy and can cause personal injury and property damage if dropped.

NOTE: Ensure the product is on a soft clean surface free from obstruction to prevent damage to the paint finish.


4. Secure the (4) casters using the provided hardware.

NOTE: The locking casters must be attached to the front of the cart.



REMOVING THE DRAWERS

1. Fully extend the empty drawer.
2. While pushing the release lever up on the left side of the drawer, pull down the release lever on the right side of the drawer.



REINSTALLING THE DRAWERS

1. Fully extend the empty drawer slides.
2. Insert the brackets on each side of the drawer into the slots on the slides, being careful that they are properly positioned.
3. Once inserted, close the drawer completely to set the slides properly.

NOTE: DO NOT force the drawers into place; if the drawer gets stuck, remove and reinstall.

MAINTENANCE

1. Periodically tighten all hardware.
2. Lubricate the drawer slides twice a year.
3. Lubricate the lock with graphite each year.
4. Use a damp microfiber cloth to clean all surfaces.



36" 8 DRAWER TOOL CART 28" 7 DRAWER TOOL CART

PRODUCT LAYOUT



PARTS LIST

Figure	Description	Qty.
A	Cabinet	1
B	Handle	1
C	Storage Tray	1
D	Locking Swivel Casters	2
E	Fixed Casters	2
F	Keys (Not Depicted)	2

Replacement Part #	Description
24565A	Locking Swivel Casters (2)
24566A	
24565B	Fixed Casters (2)
24566B	
24565C	Drawer Slides (2)
24566C	
24565D	Cart Lock
24566D	

OEMTOOLS® 3 YEAR WARRANTY

For up to three years from the date of purchase of this OEMTOOLS® product, if you find any defect in material or workmanship (through normal usage), return it to the place of purchase or to OEMTOOLS® for repair or replacement at our discretion. In order to obtain this service, send your tool and proof of purchase (transportation pre-paid) to:

OEMTOOLS® Q.A. Dept., 3580 E. Raines Road #3, Memphis, TN 38118.

We will not be responsible for lost or damaged goods during transportation; please insure your package. If our inspection verifies the defect, we will either repair or replace the product, or we may elect to refund the purchase price if we cannot readily and quickly provide you with a replacement. We will return repaired products at our expense, but if we determine there is no defect, or that the defect resulted from causes not within the scope of our warranty, then you must bear the cost of returning the product.

OEMTOOLS® does not provide warranty for products labeled other than OEM® or OEMTOOLS®. OEMTOOLS® will not provide any warranty for products subjected to abnormal use. Abnormal use includes (but is not limited to) abuse, accident, alteration, neglect, and unauthorized or unreasonable use or repairs. This warranty does not cover bits, blades, files, batteries, or calibration. We recommend that you maintain your tools and sharpen or replace blades, bits, files, and batteries as necessary. OEMTOOLS® reserves the right to make any changes in construction or design at any time without any obligation in incorporating such changes to tools or equipment previously sold.

OEMTOOLS® makes every effort to ensure that its products meet high quality and durability standards, and warrants to the original purchaser that this product is free from defects in materials and workmanship for the period of three years from the date of purchase. This warranty does not apply to damage due directly or indirectly to misuse, abuse, negligence or accidents, repairs or alterations outside our facilities, criminal activity, improper installation, normal wear and tear, or to lack of maintenance.

We shall in no event be liable for death, injuries to persons or property, or for incidental, contingent, special or consequential damages arising from the use of our product. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS. This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

Don't forget to register your new OEMTOOLS® product at www.oem-tools.com.

CONTACT US

3580 E. Raines Road, Suite 3, Memphis, TN 38118
Tel: 1-866-458-2472
www.oem-tools.com