

Please read and save these instructions. Read through this owner's manual carefully before using product. Protect yourself and others by observing all safety information, warnings, and cautions. Failure to comply with instructions could result in personal injury and/or damage to product or property. Please retain instructions for future reference.



2-IN-1 RECHARGEABLE POCKET LIGHT


FOR CUSTOMER SERVICE

Technical Question?

CALL 1-866-458-2472
customerservice@oem-tools.com

UNPACKING

After unpacking unit, inspect carefully for any damage that may have occurred during transit. Check for loose, missing, or damaged parts. If any damage is observed, a shipping damage claim must be filed with carrier. DO NOT use OEMTOOLS™ 2-in-1 Rechargeable Pocket Light if broken, bent, cracked or damaged parts (including labels) are noted. Any Work Light that appears damaged in any way, operates abnormally or is missing parts should be removed from service immediately. If you suspect that the Pocket Light was subjected to a shock load (a load that was dropped suddenly, unexpectedly, etc.), immediately discontinue use until it has been checked by a factory authorized service center.



⚠ WARNING

The following safety information is provided as a guideline to help you operate your 2-in-1 Rechargeable Pocket Light under the safest possible conditions. Any tool or piece of equipment can be potentially dangerous to use when safety or safe handling instructions are not known or not followed. The following safety instructions are to provide the user with the information necessary for safe use and operation. Please read and retain these instructions for the continued safe use of your 2-in-1 Rechargeable Pocket Light. Failure to follow instructions listed below may result in serious injury. In addition, make sure that anyone who uses the equipment understands and follows these safety instructions as well.

Explanation of Safety Signal Words

⚠WARNING: Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury.

NOTES: Provide clarity and helpful information.

Thank you very much for choosing an OEMTOOLS™ Product!

For future reference, please register your new tool at www.oem-tools.com and complete the owner's record below:

Model: _____ **Purchase Date:** _____

Save the receipt, warranty and these instructions. It is important that you read the entire manual to become familiar with this product before you begin using it. This product is designed for certain applications only. OEMTOOLS™ cannot be responsible for issues arising from modification. We strongly recommend that this product is not modified and/or used for any application other than that for which it was designed. If you have any questions relative to a particular application, DO NOT use the product until you have first contacted customer service to determine if it can or should be performed on the product.



2-IN-1 RECHARGEABLE POCKET LIGHT

! IMPORTANT INSTRUCTIONS AND SAFETY RULES

1. Know your pocket light. Read this manual carefully. Learn the light's applications and limitations, as well as potential hazards specific to it.
2. Keep work area clean and well lit. Cluttered or dark work areas invite accidents.
3. Keep children away. All children should be kept away from the work area. Never let a child handle tools or equipment without strict adult supervision.
4. DO NOT use the pocket light if the switch does not turn it on and off. Any tool that cannot be controlled with the switch is dangerous and must be repaired.
5. Although eye damage from the OEMTOOLS™ Pocket Light is unlikely, never stare directly into the beam.
6. DO NOT attempt to recharge the battery by any means other than USB, via the cable provided.
7. Check for damage. Check your product regularly. If part of the product is damaged, it should be carefully inspected to make sure it can perform its intended function correctly. If in doubt, discontinue use of the product.
8. Store idle tools out of the reach of children and untrained persons. Tools may be dangerous in the hands of untrained users.
9. Keep pocket light dry and clean.
11. DO NOT use this product in a damp or wet location.
12. DO NOT submerge this product in water or other liquids.
13. Use only accessories that are recommended by the manufacturer for your model. Accessories that may be suitable for one product may become hazardous when used on another product.
14. Maintain labels and nameplates on this product. These carry important information. If unreadable or missing, contact OEMTOOLS™ for a replacement.
15. Avoid accidental fire. DO NOT smoke near this product.
16. Keep away from flammables. DO NOT attempt to operate this work light near flammable materials or combustibles. Failure to comply may cause serious injury or death.
17. Maintain a safe working environment. Keep the work area well lit. Make sure there is adequate surrounding workspace. Keep the work area free of obstructions, grease, oil, trash, and other debris.
18. Keep the pocket light away from medical and electronic devices. Strong magnets in the light may cause damage to some devices.
19. We believe the information contained herein to be reliable. However, general technical information is given by us without charge and the user shall employ such information at their own discretion and risk. We assume no responsibility for results or damages incurred from the use of such information in whole or in part.

20. The procedures documented in this manual are to serve as guidelines for the use of this equipment. The use of this equipment is simple and straightforward if the instructions are followed. When operating this equipment, use common sense, and only use this equipment for its intended purpose.

!WARNING: Cancer and Reproductive Harm
www.P65warnings.ca.gov

NOTE: The manufacturer declines any and all responsibility for damage to vehicles or components if said damage is the result of unskillful handling by the operator or of failure to observe the basic safety rules set forth in the instruction manual.

!WARNING:
Carefully read Rules for Safe Operation and Instructions.

!IMPORTANT SAFETY INSTRUCTIONS:

The warnings, precautions, and instructions discussed in this manual cannot cover all possible conditions and situations that may occur. The operator must understand that common sense and caution are factors which cannot be built into this product but must be supplied by the operator.

PURPOSE

The OEMTOOLS™ 2-in-1 Rechargeable Pocket Light incorporates a small compact design and features super bright COB for use as an inspection lamp and 1 ultra-bright 3W LED in the top for use as a directional light. A push On/Off button is located on the front of the light. The heavy duty magnetic pocket clip allows user to either clip the light to a pocket or mount to a metal surface.

PRODUCT SPECIFICATIONS

SIDE WORK LIGHT (COB)

Mode	High	Low
Output (Lumens)	200	70
Max Run Time	3 Hrs.	5 Hrs.
Beam Distance	10 m	

TOP FLASHLIGHT (LED)

Mode	High	Low	Strobe
Output (Lumens)	140	50	N/A
Max Run Time	3 Hrs.	5 Hrs.	3 Hrs.
Beam Distance	80 m		

Power Source	1200mAh Lithium Battery
Charge Time	3 Hrs.
Voltage	3.7V
Power	3W
Impact Resistant	1 m
Dimensions	7.8" x 1.57" x 1"
Weight	0.25 Lbs.





2-IN-1 RECHARGEABLE POCKET LIGHT

FEATURES

1. 2-in-1 Lighting: Super bright COB LED pocket light and LED flashlight
2. Powerful magnetic base sticks to any metal surface
3. Magnetic pocket clip rotates 120° for adjustable light
4. High-Low-Off button for work light
5. High-Low-Strobe-Off button for flashlight
6. Comes with a USB charging cord
7. Indicator lights: Green light when fully charged and flashing when charging
8. Ergonomic grip for comfort

CONTENTS

Pocket light (1), Instructions Manual (1) and (1) USB charging cord.

NOTE: Fully charge the battery before first use.

OPERATION

The OEMTOOLS™ Pocket Light incorporates a small compact design and features super bright COB for use as work light and 3W LED on the top for use as a flashlight. A push On/Off button is located on the front of the light. A magnetic pocket clip allows user to either clip the light to a pocket or mount to a metal surface. The Li-ion long life battery is rechargeable via the included USB charging cord.

Switching between light modes (work light):

1. Press the On/Off button once to turn on work light at 100%.
2. Press the On/Off button twice to turn on work light at 50%.
3. Press the On/Off button a third time to turn off the light.

Switching between light modes (flashlight):

1. Press and hold On/Off button for 3 seconds to turn on flashlight.
2. Press On/Off button once to turn on flashlight at 50%.
3. Press On/Off button a third time to turn on strobe flashlight mode.
4. Press On/Off button a fourth time to turn off the light.

PRODUCT MAINTENANCE


1. Always store the OEMTOOLS™ Pocket Light in a well-protected area where it will not be exposed to inclement weather, corrosive vapors, abrasive dust or any other harmful elements.
2. Keep the pocket light clean by wiping with a damp cloth.
3. Inspect cable periodically and replace if damaged.
4. Recharge periodically when not in use.

DISPOSAL

At the end of the useful life of the OEMTOOLS™ Pocket Light, dispose of the components according to all state, federal and local regulations.

BATTERY DISPOSAL

Exposure to high temperatures can cause the batteries to explode; DO NOT dispose of in a fire. Some countries have regulations concerning battery disposal. Follow all applicable regulations. Return used batteries to a collection location for recycling. Call 800-822-8837 or visit www.call2recycle.org to find a collection location.



PARTS DESCRIPTION

Figure	Description
A	COB LED Light
B	On/Off Button
C	Cree 3W LED Light
D	Magnetic Pocket Clip
E	Charging Port
F	USB Charging Cord (not shown)
G	Magnetic Base



2-IN-1 RECHARGEABLE POCKET LIGHT

NOTE: OEMTOOLS™ and/or its distributors have provided the parts list and assembly diagram as a reference only. Neither OEMTOOLS™ nor its distributors make any representation or warranty of any kind to the buyer and/or user of this tool that he or she is qualified to do any repairs or replace any parts of this product. OEMTOOLS™ and its distributors expressly state that all repairs or parts replacement should be done by certified or licensed technicians. The buyer assumes all risk and liability arising out of his or her repairs or parts replacement to the original product.

OEMTOOLS™ ONE YEAR WARRANTY

For up to one year from the date of purchase of this OEMTOOLS™ product, if you find any defect in material or workmanship (through normal usage), return it to the place of purchase or to OEMTOOLS™ for repair or replacement at our discretion. In order to obtain this service, send the product and proof of purchase (transportation pre-paid) to:

OEMTOOLS™ Q.A. Dept, 3580 E. Raines Road #3, Memphis, TN 38118.

We will not be responsible for lost or damaged goods during transportation; please insure your package. If our inspection verifies the defect, we will either repair or replace the product, or we may elect to refund the purchase price if we cannot readily and quickly provide you with a replacement. We will return repaired products at our expense, but if we determine there is no defect, or that the defect resulted from causes not within the scope of our warranty, then you must bear the cost of returning the product.

OEMTOOLS™ does not provide warranty for products labeled other than OEM® or OEMTOOLS™. OEMTOOLS™ will not provide any warranty for products subjected to abnormal use. Abnormal use includes (but is not limited to) abuse, accident, alteration, neglect, and unauthorized or unreasonable use or repairs. This warranty does not cover bits, blades, files, batteries, or calibration. We recommend that you maintain your tools and sharpen or replace blades, bits, files, and batteries as necessary. OEMTOOLS™ reserves the right to make any changes in construction or design at any time without any obligation in incorporating such changes to tools or equipment previously sold.

OEMTOOLS™ makes every effort to ensure that its products meet high quality and durability standards, and warrants to the original purchaser that this product is free from defects in materials and workmanship for the period of one year from the date of purchase. This warranty does not apply to damage due directly or indirectly to misuse, abuse, negligence or accidents, repairs or alterations outside our facilities, criminal activity, improper installation, normal wear and tear, or to lack of maintenance.

We shall in no event be liable for death, injuries to persons or property, or for incidental, contingent, special or consequential damages arising from the use of our product. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS. This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

Don't forget to register your new OEMTOOLS™ product at www.oem-tools.com.

CONTACT US

3580 E. Raines Road, Suite 3, Memphis, TN 38118
Tel: 1-866-458-2472
www.oem-tools.com