Please read and save these instructions. Read through this owner's manual carefully before using product. Protect yourself and others by observing all safety information, warnings, and cautions. Failure to comply with instructions could result in personal injury and/or damage to product or property. Please retain instructions for future reference.

# **OEM TOOLS**

## **30" OSCILLATING PEDESTAL FAN**

#### FOR CUSTOMER SERVICE

**Technical Question?** 

### CALL 1-866-458-2472

customerservice@oem-tools.com

### **UNPACKING**

After unpacking unit, inspect carefully for any damage that may have occurred during transit. Check for loose, missing, or damaged parts. If any damage is observed, a shipping damage claim must be filed with carrier. DO NOT use the OEMTOOLS® Fan if broken, bent, cracked or damaged parts (including labels) are noted. Any Fan that appears damaged in any way, operates abnormally or is missing parts should be removed from service immediately. If you suspect that the Fan was subjected to shock load (a load that was dropped suddenly, unexpectedly, etc.) immediately discontinue use until it has been checked by a factory authorized service center.



### **A** WARNING

The following safety information is provided as a guideline to help you operate your fan under the safest possible conditions. Any tool or piece of equipment can be potentially dangerous to use when safety or safe handling instructions are not known or not followed. The following safety instructions are to provide the user with the information necessary for safe use and operation. Please read and retain these instructions for the continued safe use of your tool. Failure to follow instructions listed below may result in serious injury. In addition, make certain that anyone who uses the equipment understands and follows these safety instructions as well.

### **Explanation of Safety Signal Words**

**WARNING**: Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury. **CAUTION**: Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury.

CAUTION: Used without the safety alert symbol indicates a potentially hazardous situation which, if not avoided, may

result in property damage.

**NOTES:** Provide clarity and helpful information.

Thank you very much for choosing an OEMTOOLS® Product!

For future reference, please register your new tool at www.oem-tools.com and complete the owner's record below:

Model: Purchase Date:

Save the receipt, warranty and these instructions. It is important that you read the entire manual to become familiar with this product before you begin using it. This product is designed for certain applications only. OEMTOOLS® cannot be responsible for issues arising from modification. We strongly recommend this product is not modified and/or used for any application other than that for which it was designed. If you have any questions relative to a particular application, DO NOT use the product until you have first contacted customer service to determine if it can or should be performed on the product.

**A** WARNING: Pursuant to California Proposition 65, this product contains chemicals known to the state of California to cause cancer and birth defects or other reproductive harm. Wash hands after handling.



# MITOOLS!

## **30" OSCILLATING PEDESTAL FAN**



### IMPORTANT INSTRUCTIONS AND SAFETY RULES

- Know your fan. Read this manual carefully. Learn the fan's applications and limitations, as well as, potential hazards specific to it.
- Keep work area clean and well lit. Cluttered or dark work areas invite accidents.
- Keep children away. All children should be kept away from the work area. Never let a child handle a fan without strict adult supervision.
- DO NOT operate this fan if under the influence of alcohol or drugs. Read warning labels on prescriptions to determine if your judgment or reflexes are impaired while taking drugs. If there is any doubt, DO NOT attempt to operate.
- Use safety equipment. Eye protection should be worn at all times when operating this fan. Use ANSI approved safety glasses. Everyday eyeglasses are NOT safety glasses. Dust mask, nonskid safety shoes, hard hat or hearing protection should be used in appropriate conditions.
- Wear proper apparel. Loose clothing, gloves, neck-ties, rings, bracelets or other jewelry may present a potential hazard when operating this fan. Keep all apparel clear of the fan.
- Don't overreach. Keep proper footing and balance at all times when operating this fan.
- Check for damage. Check your fan regularly. If part of the fan is damaged it should be carefully inspected to make sure that it can perform its intended function correctly. If in doubt, the part should be repaired. Refer all servicing to a qualified technician. Consult your dealer for advice.
- Keep away from flammables. DO NOT attempt to operate this fan near flammable materials or combustibles. Failure to comply may cause serious injury or death.
- 10. Store idle fans out of the reach of children and untrained persons. Fans may be dangerous in the hands of untrained users.
- Maintain fan with care.
- 12. Keep fan dry and clean.
- 13. DO NOT use a damaged fan. Tag damaged fan "DO NOT use" until repaired.
- 14. Use only accessories that are recommended by the manufacturer for your model. Accessories that may be suitable for one tool may become hazardous when used on another fan.
- 15. Fan service must be performed only by qualified repair personnel. Service or maintenance performed by unqualified personnel could result in a risk of injury.
- 16. When servicing a fan, use only identical replacement parts. Use of unauthorized parts or failure to follow maintenance instructions may create a risk of injury.
- 17. Maintain a safe working environment. Keep the work area well lit. Make sure there is adequate surrounding workspace. Keep the work area free of obstructions,

- grease, oil, trash, and other debris. DO NOT use this product in a damp or wet location.
- 18. Maintain labels and nameplates on this product. These carry important information. If unreadable or missing, contact OEMTOOLS® for a replacement.

### IMPORTANT SAFETY INSTRUCTIONS

The warnings, precautions, and instructions discussed in this manual cannot cover all possible conditions and situations that may occur. The operator must understand that common sense and caution are factors which cannot be built into this product, but must be supplied by the operator.

#### **DISPOSAL**

At the end of the useful life of the OEMTOOLS® 30" Oscillating Pedestal Fan, dispose of the components according to all state, federal and local regulations.

### **PURPOSE**

The OEMTOOLS® 30" Oscillating Pedestal Fan helps circulate the air and keep it in motion while maintaining a fresh breeze. It also helps prevent the inhalation of dangerous gasses and fumes by adding ventilation.

PRODUCT SPECIFICATIONS		
Size:	30"	
Weight:	41 Lbs.	
Voltage:	120V/60Hz	
<b>Current:</b>	2.4 Amp	



### A SAFETY INFORMATION

#### READ AND SAVE THESE INSTRUCTIONS.

### **WARNING**

- 1. Unplug the fan before moving it or performing maintenance.
- 2. DO NOT touch the fan when your hands are wet.
- 3. Those who are not qualified electricians should not disassemble, repair or rebuild the fan.
- 4. Unplug the fan when it is not in use.
- DO NOT unplug the 30" Oscillating Pedestal Fan by pulling on the cable cord. Unplug by pulling the plug.
- Avoid the use of extension cords when possible. Ensure that they are UL listed if they must be used. DO NOT use a single extension cord to operate more than one fan. DO NOT plug the 30" Oscillating Pedestal Fan into any other cord-connected device (power strip, surge protector, multiple outlet adapters etc.).
- 7. DO NOT use the fan close to any fire or heat source.
- DO NOT insert your hand or other objects into the guard or the movable parts.
- To reduce the risk of fire or electric shock, DO NOT use this fan with any solid-state speed control device.



# **ON TOOLS** 30" OSCILLATING PEDESTAL FAN

- 10. DO NOT use this fan outdoors.
- DO NOT operate any 30" Oscillating Pedestal Fan with a damaged cord or plug. Discard fan or return to an authorized service facility for examination and/or repair.
- 12. DO NOT run cord under carpeting. DO NOT cover cord with throw rugs, runners, or similar coverings. DO NOT route cord under furniture or appliances. Arrange cord away from traffic area and where it will not be tripped over.
- 13. DO NOT use if electrical cord is frayed or bent.
- 14. DO NOT immerse the 30" Oscillating Pedestal Fan in water.

### **A** CAUTION

- 15. Fit the guard onto fan before starting up the 30" Oscillating Pedestal Fan.
- 16. This fan is not intended for use by people (including children) with reduced physical, sensory or mental capabilities or lack of experience and knowledge unless they have been given supervision or instructions concerning use of the fan by a person responsible for their safety. Supervise children to ensure they DO NOT play with the 30" Oscillating Pedestal Fan.
- Always place the fan on a stable, flat, level surface when operating, to avoid the chance of the 30" Oscillating Pedestal Fan overturning.

### **ASSEMBLY**

- 1. Fix the Lower Pole on the Base with Screws.
- Insert the Upper Pole into the Lower Pole, using the Knob and Connecting Hardware.
- 3. Mount the Motor on Upper Pole with a Screw.
- 4. Fasten the Rear Guard with the Motor using a Washer and Nut.
- 5. Fix the Fan Blade into the Motor shaft with a Screw.
- 6. Combine the Front Guard with the Rear Guard with a clip.

### **A** WARNING

DO NOT depend upon the On-Off switch as the sole means of disconnecting power when installing or servicing the 30" Oscillating Pedestal Fan. Always unplug the power cord.

#### **CARE AND MAINTENANCE**

Unplug the appliance before cleaning. Don't use water for cleaning metal surfaces. Using a soft cloth wipe off the surfaces of the fan. In order to remove the dust from the grill, use a vacuum cleaner or remove the front grill by removing the securing screw on the edge of the grill with a screwdriver. After cleaning, remount the grill. Then fasten the securing screws on the edge of the grill.

### **OPERATING INSTRUCTIONS**

- Adjust the desired speed by pulling the chain switch (Stop – Low – Medium – High).
- To adjust the airflow upward or downward, tilt the 30"
  Oscillating Pedestal Fan head to the desired angle. Loosen the
  tilting knobs on both sides of the fan head. Tilt the fan head to
  the desired position and tighten the knobs back in place.


**NOTE:** It is normal for the motor to feel warm to the touch during operation. The motor is thermally protected and will automatically shut off when it overheats. If this happens, immediately disconnect the fan from the power outlet.

### OSCILLATION INSTRUCTIONS


### **A** CAUTION

Switch the fan to the OFF position before adjusting the oscillation. **NOTE:** There are 2 different holes in which screw will fasten.

Operating Oscillation



Non-Oscillation



## O=M TOOLS

## **30" OSCILLATING PEDESTAL FAN**


#### **Parts List**

Item	Description	Quantity
1	Front Guard	1
2	Blades	1
3	Screws	4
4	Rear Guard	1
5	Motor	1
6	M12 Nut	1
7	M12 x 55 Bolt	1

Item	Description	Quantity
8	Upper Pole	1
9	Fasteners	1
10	Fasteners	1
11	Spring	1
12	Lower Pole	1
13	Screws	5
14	Base	1

**Note:** Not all components of the 30" Oscillating Pedestal Fan are replacement items, but are illustrated as a convenient reference for location and position in the assembly sequence.

The manufacturer and/or its distributor have provided the parts list and assembly diagram in this manual as a reference tool only. Neither the manufacturer nor its distributor makes any representation or warranty of any kind to the buyer that he or she is qualified to make any repairs to the product, or that he or she is qualified to replace any parts of the product. In fact, the manufacturer and/or its distributor expressly states that all repairs



and parts replacements should be undertaken by certified and licensed technicians, and not by the buyer. The buyer assumes all risk and liability arising out of his or her repairs to the original product or replacement parts thereto, or arising out of his or her installation of replacement parts thereto.

### **OEMTOOLS® Six Month Limited Warranty**

For six months from the original purchase of this product, OEMTOOLS® will warranty this item. If you find any defect in material or workmanship, through normal usage, return it to the place of purchase or to OEMTOOLS® for repair or replacement at our discretion. In order to obtain this service send your tool and proof of purchase, transportation pre-paid, to OEMTOOLS® Q.A. Dept., 3850 Raines Road #3, Memphis, TN 38118. We will not be responsible for lost or damaged goods during transportation, please insure your package. If our inspection verifies the defect, we will either repair or replace the product at our election, or we may elect to refund the purchase price if we cannot readily and quickly provide you with a replacement. We will return repaired products at our expense, but if we determine there is no defect, or that the defect resulted from causes not within the scope of our warranty, then you must bear the cost of returning the product.

OEMTOOLS® does not provide warranty for products labeled other than OEM® or OEMTOOLS®. OEMTOOLS® will not provide any warranty for products subjected to abnormal use. Abnormal use includes, but is not limited to, abuse, accident, alteration, neglect, and unauthorized or unreasonable use or repairs. This warranty does not cover bits, blades, files, batteries, or calibration. We recommend that you maintain your tools and sharpen or replace blades, bits, files, and batteries as necessary. OEMTOOLS® reserves the right to makes any changes in construction or design at any time without any obligation in incorporating such changes to tools or equipment previously sold.

OEMTOOLS® makes every effort to assure that its products meet high quality and durability standards, and warrants to the original purchaser that this product is free from defects in materials and workmanship for the period of six months from the date of purchase. This warranty does not apply to damage due directly or indirectly to misuse, abuse, negligence or accidents, repairs or alterations outside our facilities, criminal activity, improper installation, normal wear and tear or to lack of maintenance.

We shall in no event be liable for death, injuries to persons or property, or for incidental, contingent, special or consequential damages arising from the use of our product. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS. This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

Don't forget to register your new OEMTOOLS® product at www.oem-tools.com.

### **CONTACT US**

3580 E. Raines Road, Suite 3, Memphis, TN 38118 Tel: 1-866-458-2472 www.oem-tools.com

